

Tess-San Genel Endüstri Maddeleri San. ve Dış Tic. Ltd. Şti.



METAL SURFACE FINISHING CHEMICALS

Easy Way of Metal Working





ABOUT US

TESS-SAN operates in the industrial oil sector since 2004 and produce all kinds of industry needs by its expert and trained staff in the latest technology plant where located in Istanbul Hadimkoy. Providing suitable products to the customer demands, suggesting technical solutions to the problems which may arise during the product applications and customer satisfaction take place on the basis of our existence in the sector. TESS-SAN; has been increasing its product portfolio with investments on the R&D department day by day. With our officially registered brands; TESS-SAN EUROLUB, FORCE K 102 and COLDEX, we are competing in the world market with great variety of product groups. TESS-SAN has wide range of customer profile from small and medium sized enterprises to international corporations and serves in the various sectors. Our company takes as principle the continuous improvement understanding with wide range of good quality products and has the ISO 9001 Quality Management System, ISO 14001 Environmental Management System and ISO 18001 Occupational Health and Safety Management System documents. Our main goal is to meet the customer expectations professionally in the shortest time with efficient, economical and reliable products.



BRANDS









CONTENTS	PAGE No
Mineral Based Metal Working Fluids	1
Semi Synthetic Metal Working Fluids	2
Synthetic Metal Working Fluids	3
Rust And Corrosion Preventives	4
Copper Wire Drawing Fluids	4
Glass Grinding Fluids & Coolants	5
Blanking Oils	······ 6
Deep Drawing Oils	··········· 7
Forging Oils	······ 8
Ph Increasers & Corrosion Inhibitors	8
Die Casting Lubricants	9
Plastic / Rubber Industry Lubricants	
Hydraulic System Oils	11
Non-flammable Hydraulic Fluids	
Slideway Oils	12
Textile Oils	12
Emulsion Performance Additives	13
Industrial Cleaners	14
Electro Erosion Fluids	15
Emulsion Control Equipments	15
Choosing The Right Metalworking Fluid	16
Problems, Reasons And Solutions	17-18



MINERAL BASED METAL WORKING FLUIDS

Universal mineral based metal working fluids which are recommended to be used in the production of mineral oil based, ferrous and non-ferrous materials.

- ■EUROLUB TE 210
- **EUROLUB TE 210 ES**










SEMI SYNTHETIC METAL WORKING FLUIDS

These fluids are produced with the latest technological formulations and can supply all the needs of the new technology high speed machines. Also they solve the putrefaction problems due to rust and bacteria formation. They are supported by the EP(Extreme Pressure) additives which provide excellent emulsion stability even in the hard waters. They guarantee very high team life and excellent surface roughness in the most challenging operations. At high turnover rates (>6000 rev/min), nonfoaming products provide long store life with specially chosen additives. Besides turning, milling and all cutting and grinding operations, these metal cutting fluids can be used successfully in screwing, broaching and reaming operations at high concentrations.

- FORCE K 102Universal Cutting & Cooling Fluid
- FORCE K 102 TUBE
 For Pipe Profile Sector
- FORCE K 102 S
- COLDEX 58 UCM For Copper & Brass Alloys
- COLDEX 2042 CF For Aliminum Materials
- COLDEX 2053 AF For Stainless and Heat - processed Materials

- TESS-SAN EUROLUB TE 255
- TESS-SAN EUROLUB TE 280
 Universal Cutting & Cooling Fluid
- TESS-SAN EUROLUB TE 290
 Universal Cutting &Cooling Fluid
- TESS-SAN EUROLUB TE 290 UC
 Universal Cutting &Cooling Fluid





SYNTHETIC METAL WORKING FLUIDS

These fluids are developed for the applications prominent cooling performance especially grinding performance. They provide a safe working area by being convenient for environment and human health besides the maximum lifetime on the rust and bacteria inhibitors. They are %100 biodegradable.

EUROGRIND A

Universal Grinding Fluid

EUROGRIND K 305

Universal Grinding Fluid

■EUROGRIND ACo

For the use of Cobalt and Cobalt-Alloy Materials

■FORCE K 102 B

Grinding Fluid with EP additive for the use of steel, cam and crank shaft cylindirical grinding operations.

■FORCE K102 DK





COPPER WIRE DRAWING FLUIDS

Wire drawing fluids are developed for the purpose of drawing the copper and copper-alloys in every size. It keeps clean the benches with the excellent carrying and detergent properties. It provides excellent surface quality by preventing copper surface corrosion with convenient Ph range. Thanks to its special formulations, it provides a clean working area by ensuring maximum emulsion life with high stability.

- EURODRAW TE 410 Emulsion Annealing Fluids
- EURODRAW TE 418
 Thin and Super Thin Wire Drawing Operations
- EURODRAW TE 428
 Medium & Thin Wire Drawing Operations
- EURODRAW TE 438
 Multi-wired, Drawing Operations
- EURODRAW TE 448

 Thick Wire Drawing Operations

RUST AND CORROSION PREVENTIVES

Preventive oils which are developed for the purpose of preventing corrosion and rusting during stocking, transporting of all kind of iron and steel materials. Various type products can be recommended according to the desired protective film layer, time and easy cleaning properties.

- TESS-SAN EUROLUB CP 510 Water Based Preventive Oil
- **TESS-SAN EUROLUB CP 520**
- TESS-SAN EUROLUB CP 536
 Thick Waxed Film, Convenient for Oversea
 Transports, Very Long Protect Life
- TESS-SAN EUROLUB CP 536 S/50 Thin Waxed Dry Film Layer
- TESS-SAN EUROLUB CP 536 S/75 Mid Waxed Dry Film Layer
- TESS-SAN EUROLUB CP 536 S/150

- TESS-SAN EUROLUB CP 545
 Thin-fatty Film, Convenient for Oversea Transport
- TESS-SAN EUROLUB CP 550
 Fatty Film Layer, Convenient for Longlife Protectio
- TESS-SAN EUROLUB CP 575Mid-fatty Film, Convenient for Oversea Transports
- TESS-SAN EUROLUB CP 585
 Thin-dry Film, Convenient for Intermediate Lubrications
- TESS-SAN EUROLUB CP 585 D Thin-dry Film Layer, Odorless



GLASS GRINDING FLUIDS & COOLANTS

Cutting and cooling fluids which are specially developed for the use in glass working industry which is aimed to achieve maximum edge life and excellent quality. Also maximum yield is aimed with the diversified products for straight board cutting and radius cutting operations. They have an easy cleaning property after cutting.

- TESS-SAN EUROLUB GC 620 Volatile Glass Cutting Fluid
- TESS-SAN EUROLUB GC 630
 Water Based Shear Dil; for Bottles and Decorative Nicknacks
- TESS-SAN EUROLUB GC 640

 Board Cutting; Radial Cuttings
- TESS-SAN EUROLUB GC 660 Thick Glass Cutting

- TESS-SAN EUROLUB GC 670 Board Cutting, Volatile
- TESS-SAN EUROLUB GC 680 Board Cutting, Volatile
- TESS-SAN EUROLUB GC 690
 Straight Cutting, Volatile Glass Cutting Fluid





BLANKING OILS

These oils are reinforced with the oxidation preventing additives which provide working for long hours with high performance. They are durable with high pressure and temperature. With the containing corrosion preventing additives they increase the cutting tool life and prevent high temperature hazing and tarnishing problems. They are successfully used in Screwing, Hobbing, Deep Drawing, Broaching, Taper Grinding, Honning And Grinding operations.

- TESS-SAN EUROLUB CX 705
 Grinding and Turning
- TESS-SAN EUROLUB CX 710
 General Usage
- TESS-SAN EUROLUB CX 720 Al Cutting Oil
- TESS-SAN EUROLUB CX 730 General Usage
- TESS-SAN EUROLUB CX 735
 Deep Drilling and Cutting Operations
- TESS-SAN EUROLUB CX 740
 Stainless and Hard Materials

- TESS-SAN EUROLUB CX 750
 Tapping Oil
- TESS-SAN EUROLUB HON A Honning Operations
- TESS-SAN EUROLUB HON A EP Honning Operations (EP added)
- TESS-SAN EUROLUB BR 40 Broach Oil





DEEP DRAWING OILS

While cold formalizing of metal plates, these deep drawing oils make smooth varnishing surfaces by forming an excellent film layer at high temperature and pressure conditions without causing hazing. They are also easy to clean in degreasing baths.

- **TESS-SAN EUROLUB DD 920**
- TESS-SAN EUROLUB DD 920 YI
- TESS-SAN EUROLUB DD 920 YI/74
- TESS-SAN EUROLUB DD 920 YII

Oil-based Forming Fluids

TESS-SAN EUROLUB TF 940

Water Based Forming Fluids

- TESS-SAN EUROLUB TF 950
- TESS-SAN EUROLUB TF 950 D
 Volatile Forming Fluids
- **■TESS-SAN EUROLUB DD 970**
- TESS-SAN EUROLUB DD 980

 Deep Drawing and Polishing Pastes





FORGING OILS

These products can give optimum results of the extrusion of the iron materials, stamping operations regarding by the all kind of ferrous and nonferrous materials, cold and hot forging operations. Especially usage of developed graphite free products presents significant advantages on production of aluminum and brass parts. Product interaction is zero and leaves a clean surface.

- TESS-SAN EUROLUB FO 1050 G
 Graphite Forging Oil
- TESS-SAN EUROLUB FO 1060 WG Water Based Graphite Forging Oil
- TESS-SAN EUROLUB FO 1060 W Graphite - freeWater Based Forging Oil
- TESS-SAN EUROLUB FO 1060 WN

 Graphite freeWater Based Forging Oil
- TESS-SAN EUROLUB FO 1070 Graphite-free Forging Oil

PH INCREASERS & CORROSION INHIBITORS

Auxiliary chemicals which are used for preventing of corrosion occured after the test of impermeability. They increase the corrosion performances of the metal working fluids. They are used for the purpose of breaking of distilled water corrosion tendency.

- **■TESS-SAN EUROLUB ANTICOR TE 50**
- **■TESS-SAN EUROLUB ANTICOR TE 50 D**





DIE CASTING LUBRICANTS

These mould release products which are modified with the special additives for die casting of coloured metals and alloys which have low melting point like aluminum, magnesium, zinc and zamak. Thanks to its special additive containing, these lubricants don't cause a hazing at high temperature and pressure conditions. They prevent surface defects and provide excellent casting surface by easy release of part from the mould. They don't damage the after casting processes (dying and coating).



- TESS-SAN EUROLUB ALP 5
 Core Mould Oil (paste)
- TESS-SAN EUROLUB DL 111
 Water Based Mould Release
- **TESS-SAN EUROLUB DL 150**
- **TESS-SAN EUROLUB DL 165**

- **TESS-SAN EUROLUB DL 170**
- TESS-SAN EUROLUB DL 190

 Zamak Mould Release
- TESS-SAN EUROLUB DL PG
 Graphite Piston Oil
- TESS-SAN EUROLUB DL PS Liquid Piston Oil





PLASTIC / RUBBER INDUSTRY LUBRICANTS

Mould release products which formulised based on the silicon or synthetic oil while die casting process of plastic and rubber materials.

- TESS-SAN EUROLUB MR 1830
 Water Based Mould Release
- TESS-SAN EUROLUB MR 1840
 Water Based Mould Release
- TESS-SAN EUROLUB MR 1850
 Water Based Mould Release

- TESS-SAN EUROLUB MR 1870

 Synthetic Based, Silicon-free Mould Release
- TESS-SAN EUROLUB MR 1350

 Silicon Based Mould Release





HYDRAULIC SYSTEM OILS

They show highly effcient performance due to oxidation, rust and foam preventive additives. With easy pumping and filtering properties, they decrease the manufacturing costs. They can be used in hydraulic systems at very high temperature and pressure by means of their thermal stability.

- EUROLUBRIC VG 32
- EUROLUBRIC VG 46
- EUROLUBRIC VG 68
- EUROLUBRIC VG 100

NON-FLAMMABLE HYDRAULIC FLUIDS

Water and ester based poducts which provide long oil life and vicosity index and prevent corrosion with high temperature endurance property. They are used for strengthening the extremely dangerous operations which working at very high temperatures such as; mining, coke industry, automotiv industry, die-casting, hydraulic pressing.

- COLDEX HFD 46
 Esther Based Non-flammable Hydraulic Fluids
- COLDEX HFC 46
 Water Based Non-flammable Hydraulic Fluids





SLIDEWAY OILS

They are formulized for the lubrication of slideways at machine tools. Due to increased adhesiveness they don't drip easy through slideways or bears and they don't elapse from the shafts. They provide high protection against wear and corrosion.

- EUROWAY 46
- EUROWAY 68
- EUROWAY 100

TEXTILE OILS

They are antistatic oils which are developed for the production of wools and synthetic threads. They prevent wears and fractures by reducing frictions to minimum amount. With high fiber cohesion property they gain resistance and dimension to threads. They prevent static charging. They don't let the corrosion and bacteria formations with anticorrosive, antioxidant and antimicrobial additive content.

- EUROSOL 100 T
- EUROSOL 100 TD






EMULSION PERFORMANCE ADDITIVES

These products can solve the problems that may arise because of the inconvenient plant water, insufficient emulsion control, not making disinfection before the emulsion preperation.

ANTIFOAM

Auxiliary chemical which is used for the purpose of removing the foam that may arise at very soft water and high pressure working areas of metal working emulsions.


TESS-SAN EUROLUB ANTIFOAM S



BIOCIDE & DISINFECTANTS

Auxiliary chemicals which are used for increasing the metalworking fluids life, cleaning the tank and the system. They are used for removing bacteria, mold, yeast etc.

- TESS-SAN EUROLUB TE-SD Cleaning Disinfectant
- TESS-SAN EUROLUB TE-B
- TESS-SAN EUROLUB TE-BI Biocides — Bacteria Preventives
- TESS-SAN EUROLUB TE-F Fungicides — Mold, yeast, fungi Preventives
- TESS-SAN EUROLUB TE-WR
 Water Hardness Designator Additive





INDUSTRIAL CLEANERS

These chemicals are used to achieve convenient surfaces before dying or coating operations and cleaning of oil, rust and impurities that may arise during and after metal working processes.

DEGREASING CHEMICALS;

- ■EUROLUB CLEANER TE D
 Water Based Basic Lubrication
- ■EUROLUB CLEANER TE DS Volatile Degreasing
- **TESS-SAN EUROLUB ST 67**
- ■TESS-SAN EORULUB ST 70
 Alcali Degreasing Fluids
- ■EUROLUB CLEANER TE S Silicon Cleaning Fluid



RUST REMOVERS;

- ■TESS-SAN EUROLUB RR 850
 Neutral Rust Remover and Degreasing Fluid
- ■TESS-SAN EUROLUB RR 860 Acidic Rust Remover
- ■TESS-SAN EUROLUB RR 870
 Acidic Rust Remover





ELECTRO EROSION FLUIDS

They form an amazing surface quality by balancing the load distribution between the electrode and the workpiece at erosion benches. They provide a safe working area with high flash point. There isn't any ignition or burning risk.

- TESS-SAN EUROLUB EDM ER 75
- ■TESS-SAN EUROLUB EDM ER 100

EMULSION CONTROL EQUIPMENTS


Equipments which are used to control of the necessary values to provide a proper working area so as to prolong the life of used emulsion and produce convenient parts. By rutin basic controls, hard-to-solve problems that may arise in the future is aimed to remove.

- **■**PH meter, PH paper
- **■**Conductivity meter
- **■Water Hardness Kit**
- **■**Refractometer
- **■**Dosage Pump
- ■Bacteria Test Kit
- **CNC** Bench Filter Paper



CHOOSING THE RIGHT METALWORKING FLUID

Following factors should be considered when selecting a fluid:





PROBLEMS, REASONS AND SOLUTION

Problems	Reasons	Solutions		
DECREASE OF TIP LIFE	Insufficient concentration	Arrange the concentration by adding needed product.		
	Contamination	Find and remove the contaminated substance which may cause the decrease in tool life. These substances could be excessive leak oil, surface cleaning agent/ detergent etc.		
	Quality of water	If the hardness of water is less than 200 ppm(11 A.S), that may cause the emulsion instability and decrease in tool life.		
CREASE	Stability problem in emulsion	It may cause the decrease in tool life because lubrication may decrease. Look for the solution 'stability problem in emulsion'		
DĒ	Use of wrong tool or prosess parameters in operation	Make sure using the right tool.		
	Change of materials	Control the used material		
Problems	Reasons	Solutions		
Problems	Reasons Insufficient concentration	Solutions Arrange the concentration by adding needed product.		
Problems				
	Insufficient concentration	Arrange the concentration by adding needed product.		
	Insufficient concentration Bad water quality, water corrosion	Arrange the concentration by adding needed product. Use better quality water		
CORROSION	Insufficient concentration Bad water quality, water corrosion High Temperature / Moisture	Arrange the concentration by adding needed product. Use better quality water Reduce temperature and moisture, use preventive oil. Find and remove the contaminated substance. These substances could be heat treatment chemical, surface cleaning agent/		
	Insufficient concentration Bad water quality, water corrosion High Temperature / Moisture Contamination	Arrange the concentration by adding needed product. Use better quality water Reduce temperature and moisture, use preventive oil. Find and remove the contaminated substance. These substances could be heat treatment chemical, surface cleaning agent/ detergent etc.		

	Problems	Reasons	Solutions
		Insufficient or excessive concentration	Arrange the concentration by adding needed product.
	Water Water Opera	Contamination	Find and remove the contaminated substance. These substances could be cleaning agent/ detergent etc.
		Water quality	Usage of softened water(if hardness of water lower than 100 ppm) may cause the foam in some metal working fluids.
		Operation type	Some operations for example surface grinding, may cause the foam formation. During selection of metal working fluid, operation should be considered.
		Low level of metal working fluid	Fill the tank/reservoir till observe a distance enough to allow air outlet.
		Mechanical problems	Check the filtration system, liquid distribution/flow or feedback system.



Water soluble metal working fluids which are produced with the new technological formulations; are developed so as to keep the CUTTING EDGE and TOOL LIFE at maximum by providing optimum lubrication and cooling during. They give the excellent results by forming long lasting emulsions even in the most difficult operations thanks to containing EP ADDITIVES and BIOCIDES suitable with the emulsion. They prevent the problems like odor, corrosion, adhesion and accumulation etc. They resolve the factors that cause the skin irritation thanks to its ph balance and long life. Possible problems that may arise at the Al, Cu, brass and casting materials are removed in TESS-SAN products by developed formulations considering processing metal parts.

Usage Areas:

Turning, Milling, Drilling, Screwing, Hobbing, Sawing, Broaching, Reaming, Grinding, Tube Milling

METALWORKING FLUIDS PRACTICAL GUIDE

Operation	Synthetic Eurogrind Serie	EP Synthetic TE 300 Serie	EP Semi Synthetic TE 200 Serie	EP Mineral TE 210 Serie	Cutting Oils CX 700 Serie
Surface Grinding		•	0		
Cylindrical Grinding		•	•		
Centerless Grinding	0	0	0		
Lathe / Router		0	•	•	
Cutting			•	0	0
Reaming / Tapping			•	•	0
Deep Drawing			•	0	
Broaching					•
Hobbing			•	0	•
Screwing			•	0	•
Automat Benches			0		•
Fellow Benches					•
Tube Drawing		0	•	0	
Material					
Carbon Steel		•	•	0	0
Stainless Steel	•	•	•	•	•
Tool Steel		•	•	•	
Casting	\circ	•	•	0	
Copper Alloy			•	•	
Aluminum Alloy			•	•	0
Process Weight	t				
Light		•	•	0	
Mid Heavy		•	•	•	

● 1st choice ○ 2nd choice

This table is prepared for informing. Please contact us for the right choice depending on the operating conditions and used materials info@tess-san.com.tr



QUALITY CERTIFICATES

SERTİFİKA

ISO 9001:2008 Kalite Yönetim Sistemi

TESS-SAN GENEL ENDÜSTRİ MADDELERİ SAN. VE DIŞ TİC.LTD. ŞTİ.

Isıtma Soğutma Havalandırma Site İşl. Koop M Blok No:14-15 Esenyurt, İSTANBUL

Yukarıda belirtilen kuruluşun, NAVİGA Bolgelendirme Prosedürüne göre Standardın şartlarını aşağıdaki kapsamda karşıladığı kanıtlanmıştır.

METAL YÜZEY İŞLEME KİMYASALLARI ÜRETİMİ

Sertifika Kavit No:1340754

Scrtifika Bitiş Tarihi : 09.12.2016 İlk Belgelendirme Tarihi: 09.12.2013

Belgelendirme NAVÍGA Tetkik ve Belgelendirme Prosedúrletine uygun olarak oygulanmis olup gözelim denelimine(24.10.2014) kacar geçerlidir.

NAVIGA ULUSLARARASI BELGELENDIRME VE EĞİTİM HİZ, LTD, ŞTİ,



Extorgoh

NAVIGA ULUSLARARASI BELGELENDIRME VE EĞITIM HIZMETLERİ LTD. ŞTİ.

SERTİFİKA

ISO 14001:2004 Çevre Yönetim Sistemi

TESS-SAN GENEL ENDÜSTRİ MADDELERİ SAN. VE DIŞ TİC.LTD. ŞTİ.

İsitma Soğutma Havalandırma Site İşl. Koop M Blok No:14-15 Esenyurt, İSTANBUL

Yukanda belirtilen kuruluşun, NAVİGA Belgelendirme Prosedürüne göre Standardın şartlarını aşağıdaki kapsamda karşıladığı kanıtlanmıştır.

METAL YÜZEY İŞLEME KİMYASALLARI ÜRETİMİ

Sortifika Bitliş Tarihi : 08.12.2018 İlk Belgelendirme Tarihi: 09.12.2013

Sertifika Kavit No:1343755

Bergelendirme NAVİGA Tetrik ve Bergelendirme Prosedürlerina uygun olarak uygulanmış olup gözetim denetim ne(24.10.2014) kadar geçerlidir.

NAVIGA IJI USI ARARASI BELGELENDIRME VE EĞİTİM HİZ, LTD. ŞTİ.



NAVIGA

Ealoguh Istanbul, 09,12,2013



neviga utustamanası Belgelendirme ve eğirim Hizmetleri Ltd. Şti. Al Buz Gürzen cad. Metonud Center Kai. 15 No 48 Meter 34015 / ISTANBUL



OHSAS 18001:2007 İş Sağlığı ve Güvenliği Yönetim

TESS-SAN GENEL ENDÜSTRİ MADDELERİ SAN. VE DIŞ TİC.LTD. ŞTİ.

Isıtma Soğutma Havalandırma Site İşl. Koop M Blok No:14-15 Esenyurt, İSTANBUL

Yukarıda belirtilen kuruluşun, NAVİGA Belgelendirme Prosedürüne göre Standardın şartlarını aşağıdaki kapsamda karşıladığı kanıtlanmıştır.


METAL YÜZEY İŞLEME KİMYASALLARI ÜRETİMİ

Rapor No: 14O422 Sertifika Bitiş Tarihi : 16.97.2017





OUR BRANDS











Genel Endüstri Maddeleri San. ve Dış Tic. Ltd. Şti.



www.tess-san.com.tr

Tess-san Genel Endüstri Maddeleri San. ve Dış. Tic. Ltd. Şti. Orhangazi Mah. Isıso San. Sit. 7. Yol M Blok No: 14/15 Esenyurt / İSTANBUL

Tel: 0212 623 01 55-56 Fax: 0212 623 01 57

E-mail: info@tess-san.com.tr